Safety data sheet

Revision: 18 02 2013

according to 1907/2006/EC, Article 31 Printing date 18.02.2013 1 Identification of the substance/mixture and of the company/undertaking · Product identifier • Trade name: CT Clean Hand Disinfection · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the preparation Hand disinfactant · Details of the supplier of the safety data sheet · Manufacturer/Supplier: DE Healthcare Products Gillingham ME8 OSB, UK Phone UK: +44 (0) 1634 87 87 50 Phone International: 001 703 527 3887 Fax: +44 (0) 1634 87 87 51 Email: info@cybertechbrand.com · Further information obtainable from: Corporate Brand Development International • Emergency telephone number: info@cybertechbrand.com Chemtrec US (800) 424-9300, Mo - Fr 0-24 h **2** Hazards identification · Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 2 H225 Highly flammable liquid and vapour. GHS07 Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Irritant R36: Irritating to eyes. F; Highly flammable R11: Highly flammable. R67: Vapours may cause drowsiness and dizziness. Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. · Label elements · Labelling according to Regulation (EC) No 1272/2008 *The product is classified and labelled according to the CLP regulation.* (Contd. on page 2)

Printing date 18.02.2013

Revision: 18.02.2013

(Contd. of page 1)

· Hazard pictograms



GHS02	GHS07
· Signal wo	rd Danger
· Hazard st	atements
H225 Hig	hly flammable liquid and vapour.
H319 Cau	ses serious eye irritation.
H336 May	cause drowsiness or dizziness.
· Precautio	nary statements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P280	Wear eye/face protection.
P305+P3	51+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P34	<i>IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</i>
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Additiona	l information: Void
• Other haz	ards
· Results of	PBT and vPvB assessment
· PBT: Not	applicable.

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Dungerous compone	11113	
CAS: 67-63-0	propan-2-ol	50-100%
EINECS: 200-661-7	🗙 Xi R36; 👸 F R11	
	<u>R6</u> 7	
	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336	
· Additional informat	ion: For the wording of the listed risk phrases refer to section 16.	

4 First aid measures

· Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• *After skin contact: Generally the product does not irritate the skin.*

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Rinse out mouth and then drink plenty of water.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

GB

Printing date 18.02.2013

Revision: 18.02.2013

(Contd. of page 2)

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Keep receptacles tightly sealed.
- · Information about fire and explosion protection:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm

Long-term value: 999 mg/m³, 400 ppm

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

^{3 –}

Printing date 18.02.2013

Revision: 18.02.2013

(Contd. of page 3)

· Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Respiratory protection: Not required. · Protection of hands: Not required. · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR Butyl rubber, BR Natural rubber, NR • Eye protection: Tightly sealed goggles

Information on basic physical General Information Appearance:	and chemical properties
Form:	Fluid
Colour:	Clear
Odour:	Characteristic
Change in condition Melting point/Melting range Boiling point/Boiling range:	
Flash point:	20 °C
Ignition temperature:	425 °C
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Explosion limits:	
Lower:	2.0 Vol %
Upper:	12.0 Vol %
Vapour pressure at 20 °C:	43 hPa
Density at 20 °C:	0.87 g/cm ³
Solubility in / Miscibility with water:	Fully miscible.

Printing date 18.02.2013

Revision: 18.02.2013

(Contd. of page 4)

 Solvent content: Organic solvents: Water: VOC (EC)
 Other information

62.8 % 37.2 % 63 % No further relevant information available.

10 Stability and reactivity

· Reactivity

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- *Incompatible materials: No further relevant information available.*

• Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values relevant for classification:

67-63-0 propan-2-ol

Oral	LD50	5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

⁻ GB

Printing date 18.02.2013

Revision: 18.02.2013

• Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

07 00 00 WASTES FROM ORGANIC CHEMICAL PROCESSES

07 06 00 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics

07 06 99 wastes not otherwise specified

• Uncleaned packaging:

*

• *Recommendation: Disposal must be made according to official regulations.*

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number ADR, IMDG, IATA	UN1987
UN proper shipping name ADR	1987 ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPY
IMDG, IATA	ALCOHOL)) ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPY ALCOHOL))
Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group ADR, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	33
EMS Number:	F-E,S-D
Transport in bulk according to Annex MARPOL 73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ):	E2
Limited quantities (LQ)	1L
Transport category	2
Tunnel restriction code	D/E

(Contd. of page 5)

Printing date 18.02.2013

Revision: 18 02 2013

(Contd. of page 6)

· UN "Model Regulation":

UN1987, ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL)), 3, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210 P280 Wear eye/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P312 Call a POISON CENTER or doctor/physician if you feel unwell. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

• Other regulations, limitations and prohibitive regulations Zolltarifnummer: 3004 90 00 · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

- H336 May cause drowsiness or dizziness.
- R11 Highly flammable.
- R36 Irritating to eyes.
- *R67* Vapours may cause drowsiness and dizziness.
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 8)

GB

Printing date 18.02.2013

Revision: 18.02.2013

(Contd. of page 7)

GB

GHS: Globally Harmonized System of Classification and Labelling of Chemicals VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
* Data compared to the previous version altered.