# Material Safety Data Sheet

### CyberResin Cement, Catalyst - 9006202

Form 70010/B-MSDS, Rev. 5 Last revised: 12-November-2009 Approved for use: 12-November-2009

-----

#### 1. Chemical product and company identification Product Name: CyberResin Cement, Catalyst

 Manufacturer:
 DE Healthcare Products
 Gillingham ME8 0SB UK

 UK
 01634878750
 Emergency #:
 Chemtrec US (800) 424-9300
 International:
 001 703-527-3887

 Fax
 +44 (0) 1634 87 87 51
 51
 001 703-527-3887

email: info@cybertechbrand.com

#### 2. Composition / Information on Ingredients

| Hazardous Ingredients | CAS #      | Hazard Identification & Risk Phrases |
|-----------------------|------------|--------------------------------------|
| Bis-GMA               | 1565-94-2  | N/E                                  |
| TEGDMA                | 109-16-0   | Xi                                   |
| 4-META                | 70293-55-9 | Xn; R22-36/38-43                     |
| Initiator             | 94-36-0    | Explosive, Xi                        |
| Fumed Silica          | 7631-86-9  | R36/37/38                            |

✓ Additional information: For the wording of the listed risk phrases refer to section 16.

### 3. Hazards Identification

Acute Health Hazards: May cause eye, respiratory and skin irritation in high concentrations.

Chronic Health Hazards: Material is not known to cause significant health problems.

Signs and Symptoms of Exposure: High concentrations can cause eye and respiratory irritation. Prolonged skin exposure can cause dryness.

**Primary routes of exposure**: inhalation, skin contact, eye contact **Carcinogenicity**: NTP – no, OSHA – no, IARC – no.

#### 4. First Aid Measures

**In case of inhalation**: If irritation occurs, take victim to open air. If breathing difficulty persists, consult a physician.

In case of skin contact: Wash with soap and water.

**In case of eye contact**: Flush with large quantities of water for 15 minutes. Consult a physician. **In case of ingestion**: Consult a physician.

#### 5. Fire-Fighting Measures

Flash Point: N/E

Extinguishing Media: Carbon dioxide, water spray, dry chemical Special Fire Fighting Procedures: Avoid a direct jet of water. Unusual Fire and Explosion Hazards: None

#### 6. Accidental Release Measures

**Environmental Precautions**: Avoid seepage into sewers and water supplies. **Clean-Up Procedure**: Contain spill and pick up material with a suitable absorbent material. Place absorbent into a container for later disposal. Clean spill area with detergent and water.

### 7. Handling and Storage

Handling: No special measures necessary if handled according to instructions.

**Storage:** Keep container tightly closed when not in use. Store in a cool, dry location. Keep material in original packaging.

#### 8. Exposure Controls / Personal Protection

Exposure Controls: Use only in well-ventilated areas.

**Respiratory Protection**: Avoid inhalation of vapors. No special protection under normal use. **Hand and Skin Protection**: Avoid unnecessary skin contact. Wear latex gloves when handling. **Eye Protection**: Wear safety goggles or safety glasses with side shields when handling. **Hygiene Measures**: Remove spilled material from skin and clothing. Do not eat or drink when handling this material.

#### 9. Physical and Chemical Properties

Appearance: White paste Odor: Specific odor Boiling Point/Range: N/A Evaporation Rate (Water = 1): N/A Vapor Density (Air = 1): N/A Solubility in Water: Insoluble

#### **10. Stability and Reactivity**

Stability: This material is stable.
Hazardous Reactions: None if handled according to directions
Hazardous Polymerization: May occur.
Conditions to Avoid: Heat, UV light and contamination.
Incompatibility: Free radicals, reducing agents, heavy metal ions
Hazardous Decomposition Products: Carbon dioxide, water, carbon monoxide, acrylic decomposition products, depending on conditions of heating and burning.

#### **11. Toxicological Information**

Acute oral toxicity : LD<sub>50</sub> (rat) > 5000mg/KG Irritation of Skin: dryness and irritation possible upon prolonged exposure Allergic Effects: Methacrylate sensitive individuals may exhibit an allergic reaction.

#### **12. Ecological Information**

Do not discharge into sewers or water supplies Environmental persistence and degradability: no data available Ecotoxicity: no data available

#### **13. Disposal Considerations:**

May be disposed of in landfill or incinerator in accordance with local, state and federal regulations.

#### **14. Transport Information:**

| 14.1 Transport at land | ADR<br>UN Number     | RID<br>Kemler |
|------------------------|----------------------|---------------|
|                        | on number            | Number        |
|                        | Packing Group        |               |
|                        | Proper shipping name |               |
| 14.2 Transport at sea  | ADNR                 | IMDG          |
| *                      | UN Number            |               |
|                        | EMS                  | MFAG          |
|                        | Packing Group        |               |
|                        | Proper shipping name |               |
| 14.3 Air transport     | ICAO / IATA-DGR      |               |
|                        | UN Number            |               |
|                        | Proper shipping name |               |
|                        | Subsidiary Risk      |               |
|                        | Labels               |               |
|                        | Packing Group        |               |

#### U.S. DOT Shipping Name: Not Regulated U.S. DOT Hazard Class: None

U.N./N.A. Number: None U.S. DOT Packing Group: None Other: Not considered hazardous cargo

#### **15. Regulatory Information:**

This product requires classification according to the criteria of EC. The product is a medical device according to the EC-directive 93/42.

15.1 UN Number
15.2 National regulations
15.3 EU number
15.4 Hazard symbols
15.5 Hazard designation
15.6 Risk phrases
15.7 Safety phrases

**U.S.-O.S.H.A. Status**: This material is not hazardous under the criteria of the U.S. Federal Hazard Communication Standard.

#### **16.** Other Information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

#### **Relevant R-phrases**

22 Harmful if swallowed.36/37/38 Irritating to eyes, respiratory system and skin.43 May cause sensitization by skin contact.

Xi Irritant.

Material should be maintained in original containers. Empty containers should not be re-used.

ANSI/NFPA 704 Data: Fire = 1 Health = 0 Reactivity = 0 Specific Hazard = None

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the manufacturer or distributor be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.

## <u>Material Safety Data Sheet</u>

## CyberResin Cement, Base - 9006202

Form 70010/B-MSDS, Rev. 5 Last revised: 12-November-2009 Approved for use: 12-November-2009

\_\_\_\_\_

#### 1. Chemical product and company identification Product Name: CyberPesin Cement Base 900

Product Name: CyberResin Cement, Base - 9006202

#### Manufacturer:

 DE Healthcare Products
 Gillingham ME8 0SB UK

 UK
 01634878750
 Emergency #:
 Chemtrec US (800) 424-9300

 International:
 001 703-527-3887
 Fax
 +44 (0) 1634 87 87 51

email: info@cybertechbrand.com

#### 2. Composition / Information on Ingredients

| Hazardous Ingredients          | CAS #      | Hazard Identification &<br>Risk Phrases |
|--------------------------------|------------|---|
| TEGDMA                         | 109-16-0   | Xi                                      |
| Co-initiator                   | 10287-53-3 | Xi, R36/37/38                           |
| Photoinitiator                 | 10373-78-1 | Xi, R36/37/38                           |
| Urethandimethacrylate Oligomer | 72869-86-4 | Xi, R36-38                              |
| Fumed Silica                   | 7631-86-9  | R36/37/38                               |

✓ <u>Additional information</u>: For the wording of the listed risk phrases refer to section 16.

#### **3. Hazards Identification**

Acute Health Hazards: May cause eye, respiratory and skin irritation in high concentrations. Chronic Health Hazards: Material is not known to cause significant health problems. Signs and Symptoms of Exposure: High concentrations can cause eye and respiratory irritation. Prolonged skin exposure can cause dryness. Primary routes of exposure: inhalation, skin contact, eye contact

**Carcinogenicity**: NTP – no, OSHA – no, IARC – no.

#### 4. First Aid Measures

**In case of inhalation**: If irritation occurs, take victim to open air. If breathing difficulty persists, consult a physician.

In case of skin contact: Wash with soap and water.

**In case of eye contact**: Flush with large quantities of water for 15 minutes. Consult a physician. **In case of ingestion**: Consult a physician.

#### **5.** Fire-Fighting Measures

Flash Point: N/E Extinguishing Media: Carbon dioxide, water spray, dry chemical Special Fire Fighting Procedures: Avoid a direct jet of water. Unusual Fire and Explosion Hazards: None

#### 6. Accidental Release Measures

**Environmental Precautions**: Avoid seepage into sewers and water supplies. **Clean-Up Procedure**: Contain spill and pick up material with a suitable absorbent material. Place absorbent into a container for later disposal. Clean spill area with detergent and water.

#### 7. Handling and Storage

Handling: No special measures necessary if handled according to instructions.

Page 1 of 1

Revision 5 *U acc. To ISO 11014* Last revised: 12-November-2009 Approved for use: 12-November-2009 **Storage:** Keep container tightly closed when not in use. Store in a cool, dry location. Keep material in original packaging.

#### 8. Exposure Controls / Personal Protection

Exposure Controls: Use only in well-ventilated areas.

Respiratory Protection: Avoid inhalation of vapors. No special protection under normal use.

Hand and Skin Protection: Avoid unnecessary skin contact. Wear latex gloves when handling.

Eye Protection: Wear safety goggles or safety glasses with side shields when handling.

**Hygiene Measures**: Remove spilled material from skin and clothing. Do not eat or drink when handling this material.

#### 9. Physical and Chemical Properties

Appearance: Yellow paste Odor: Specific odor Boiling Point/Range: N/A Evaporation Rate (Water = 1): N/A Vapor Density (Air = 1): N/A Solubility in Water: Insoluble

#### **10. Stability and Reactivity**

Stability: This material is stable.
Hazardous Reactions: None if handled according to directions
Hazardous Polymerization: May occur.
Conditions to Avoid: Heat, UV light and contamination.
Incompatibility: Free radicals, reducing agents, heavy metal ions
Hazardous Decomposition Products: Carbon dioxide, water, carbon monoxide, acrylic decomposition products, depending on conditions of heating and burning.

#### **11. Toxicological Information**

Acute oral toxicity : LD<sub>50</sub> (rat) > 5000mg/KG Irritation of Skin: dryness and irritation possible upon prolonged exposure Allergic Effects: Methacrylate sensitive individuals may exhibit an allergic reaction.

#### **12. Ecological Information**

Do not discharge into sewers or water supplies Environmental persistence and degradability: no data available Ecotoxicity: no data available

#### 13. Disposal Considerations:

May be disposed of in landfill or incinerator in accordance with local, state and federal regulations.

#### **14. Transport Information:**

| 14.1 Transport at land | ADR                  | RID              |
|------------------------|----------------------|------------------|
| r -                    | UN Number            | Kemler<br>Number |
|                        | Packing Group        |                  |
|                        | Proper shipping name |                  |
| 14.2 Transport at sea  | ADNR                 | IMDG             |
| I                      | UN Number            |                  |
|                        | EMS                  | MFAG             |
|                        | Packing Group        |                  |
|                        | Proper shipping name |                  |
| 14.3 Air transport     | ICAO / IATA-DGR      |                  |
| × ×                    | UN Number            |                  |
|                        | Proper shipping name |                  |
|                        | Subsidiary Risk      |                  |
|                        | Labels               |                  |
|                        | Packing Group        |                  |
|                        |                      |                  |

#### U.S. DOT Shipping Name: Not Regulated U.S. DOT Hazard Class: None U.N./N.A. Number: None

#### U.S. DOT Packing Group: None Other: Not considered hazardous cargo

#### **15. Regulatory Information:**

This product requires classification according to the criteria of EC. The product is a medical device according to the EC-directive 93/42.

15.1 UN Number
15.2 National regulations
15.3 EU number
15.4 Hazard symbols
15.5 Hazard designation
15.6 Risk phrases
15.7 Safety phrases

**U.S.-O.S.H.A. Status**: This material is not hazardous under the criteria of the U.S. Federal Hazard Communication Standard.

#### **16. Other Information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

#### **Relevant R-phrases**

36/37/38 Irritating to eyes, respiratory system and skin. 43 May cause sensitization by skin contact.

Xi Irritant.

Material should be maintained in original containers. Empty containers should not be re-used.

#### ANSI/NFPA 704 Data: Fire = 1 Health = 0 Reactivity = 0 Specific Hazard = None

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the manufacturer or distributor be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.

### MATERIAL SAFETY DATA SHEET:

### **CyberPorcelain Silane**

### 1. Chemical Product and Company Identification

### Product Name: CyberPorcelain Silane - 9006203

Manufacturer: DE Healthcare ProductsGillingham ME8 0SB UKUK01634878750Emergency #:Chemtrec US (800) 424-9300International:001 703-527-3887Fax+44 (0) 1634 87 87 51email:info@cybertechbrand.comEmergencyEmergency

### 2. Composition / Information of Hazardous Ingredients

| Hazardous Ingredients | CAS#      | Hazard<br>Identification &<br>Risk Phrases | Percentage,<br>wt% |
|-----------------------|-----------|--|--------------------|
| Ethyl alcohol         | 64-17-5   | F, R11                                     | 96.0               |
| Stabilizer            | 2530-83-8 | Xi   | 4.0                |

### **3.** Hazards Identification Xi Irritant; Flammable.

<u>Acute Health Hazards:</u> May cause eye, respiratory and skin irritation. <u>Chronic Health Hazards:</u> Material is not known to cause significant health problems.

<u>Signs and Symptoms of Exposure:</u> High concentrations can cause eye and respiratory irritation. Prolonged skin exposure can cause dryness. <u>Primary Routes of Exposure:</u> Inhalation, skin contact, eye contact. <u>Carcinogenicity:</u> NTP – no, OSHA – no, IARC – no.

### 4. First Aid Measures in Cause of Inhalation

<u>Inhalation</u>: If irritation occurs, take victim to open air. Get medical attention.
 <u>In case of skin contact</u>: wash with soap and water.
 <u>In case of eye contact</u>: Flush with large quantities of water for 15 minutes. Consult a physician.
 <u>In case of ingestion</u>: Drink two glasses of water or milk. Seek medical attention if a substantial amount has been ingested. Do not induce vomiting.

### 5. Fire-Fighting Measures

<u>Flash Point:</u> 18°C / 64°F (Ethanol) <u>Extinguishing Media:</u> Carbon dioxide, foam or dry chemical. <u>Unusual Fire and Explosion Hazards:</u> Upon combustion, irritating gases may form..

### 6. Accidental Release Measures

Page 1 of 4

Revision 3 EU acc. To ISO 11014

Last revised: 12-November-2009 Approved for use: 12-November-2009 <u>Personal Precautions:</u> Prevent skin/ eye contact <u>Environmental Precautions:</u> Avoid ground water contamination.. <u>Clean-Up Procedure:</u> Wipe with damp paper towel. Discard properly.

### 7. Handling and Storage

<u>Handling</u>: No special measures necessary if handled according to instructions. <u>Storage</u>: Keep container tightly closed when not in use. Keep about 10°C. Keep material in original packaging. Avoid extreme heat and light.

### 8. Exposure Controls/ Personal Protection

Exposure Controls: Use only in well ventilated areas. Eye Protection: Use protective eyewear. Hand and Skin Protection: Avoid unnecessary skin contact. Wear latex gloves when handling. Hygiene Measures: Remove spilled material from skin and clothing. Do not eat or drink when handling this material.

### 9. Physical and Chemical Properties

Appearance: Colorless liquid Odor: Odorless. Boling Point/ Range: N/E Evaporation Bate (water = 1): N/A Vapor Density (Air = 1): N/A Solubility in Water: Miscible Solubility in organic solvents: Soluble in alcohols, ketones, etc.

### **10.** Stability and Reactivity

<u>Stability:</u> This material is stable. <u>Hazardous Reactions:</u> None if handled according to directions <u>Conditions to Avoid:</u> Heat. <u>Incompatibility:</u> Strong caustics, metals, sulfides and sulfites..

### 11. Toxicological Information

<u>Acute oral toxicity:</u> LD50 (rat) > 5000 mg/kg <u>Irritation to Eyes:</u> Irritates the eyes. <u>Irritation of Skin:</u> May irritate the skin. <u>Allergic Effects:</u> May cause allergic reaction on contact with skin. <u>Other:</u> If swallowed, may cause sore throat and burns of the mouth and throat. Prolonged exposure may cause burns to the respiratory tract, contact with soft tissues may cause burns.

### 12. Ecological Information

Page 2 of 4

Revision 3 EU acc. To ISO 11014

There is no specific information on the product. Use according to good working practices, avoiding release of the product into environment.

### 13. Disposal Considerations

May be disposed of in landfill or incinerator In accordance with local, state and federal regulations.

### 14. Transport Information


| 14.1 Transport at land | ADR<br>UN Number  | 3<br>1170                                       | RID<br>Kemler<br>Number | 3 |
|------------------------|---|---|-------------------------|---|
| 14.2 Transport at sea  | Packing Group<br>Proper shipping name<br>ADNR                         | III<br>Ethanol Solution<br>3                    | IMDG                    | 3 |
|                        | UN Number<br>EMS  | 1170<br>F-E, S-D                                | MFAG                    | 5 |
| 14.3 Air transport     | Packing Group<br>Proper shipping name<br>ICAO / IATA-DGR<br>UN Number | III<br>Ethanol Solution<br><br>1170             |                         |   |
|                        | Proper shipping name<br>Subsidiary Risk<br>Labels<br>Packing Group    | Ethanol Solution<br><br>Ethanol Solution<br>III |                         |   |
|                        |   |   |                         |   |

<u>U.S. DOT</u> Shipping Name: Not Regulated <u>U.S. DOT</u> Hazard Class: None U.N/ N.A. <u>Number:</u> None <u>U.S. Dot Packing Group:</u> None <u>Other:</u> Not considered hazardous cargo.

### 15. Regulatory Information

This product requires classification according to the criteria of EC. The product is a medical device according to the EC-directive 93/42.

15.1 UN Number117015.2 Nationalregulations15.3 EU number15.4 Hazard symbols



15.5 Hazard designation 15.6 Risk phrases **R: 11** 11 Highly flammable. Page 3 of 4

Revision 3 EU acc. To ISO 11014

Last revised: 12-November-2009 Approved for use: 12-November-2009

## 15.7 Safety phrases S: 2, 9, 16, 23, 26, 28, 24/25, 37/39

2 Keep out of the reach of children.
 9 Keep container in a well-ventilated place.
 16 Keep away from sources of ignition - No smoking.
 23 Do not breathe vapour.
 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advise.
 28 After contact with skin, wash immediately with plenty of water and soap.
 24/25 Avoid contact with skin and eyes.
 37/39 Wear suitable gloves and eye/face protection.

<u>U.S. – O.S.H.A. Status:</u> This material is not hazardous under the criteria of the U.S. Federal Hazard Communication Standard.

### 16. Other Information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

### **Relevant R-phrases**

11 Highly flammable

Material should be maintained in original containers. Empty containers should not be re-used. <u>AN SI / NFPA 704 DATA</u> Fire = 3 Health = 1 Reactivity = 1 Specific

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the manufacturer or distributor be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.