MATERIAL SAFETY DATA SHEET

CyberSeal - Fissure Sealant

1. Chemical Product and Company Identification

Product Name: CyberSeal - Fissure Sealant

Manufacturer: DE Healthcare Products Gillingham ME8 0SB UK UK 01634878750 Emergency #: Chemtrec US (800) 424-9300 International: 001 703-527-3887 Fax +44 (0) 1634 87 87 51

email: info@cybertechbrand.com

2. Composition / Information of Hazardous Ingredients

		Hazard Identification
Hazardous Ingredients	CAS#	& Risk Phrases
Urethandimethacrylate oligomer	72869-86-4	Xi, R36/37/38
TEGDMA	109-16-0	Xi
Photoinitiators	10373-78-1	Xi, R36/37/38
	10287-53-3	N/E
Fumed Silica	7631-86-9	R36/37/38

✓ Additional information: For the wording of the listed risk phrases refer to section 16.

3. Hazards Identification Xi Irritant

<u>Acute Health Hazards:</u> May cause eye, respiratory and skin irritation. Chronic Health Hazards: Material is not known to cause significant health problems.

Signs and Symptoms of Exposure: High concentrations can cause eye and respiratory irritation. Prolonged skin exposure can cause dryness.

Primary Routes of Exposure: Inhalation, skin contact, eye contact.

Carcinogenicity: NTP – no, OSHA – no, IARC – no.

4. First Aid Measures in Cause of Inhalation

If irritation occurs, take victim to open air.

In case of skin contact: wash with soap and water.

In case of eye contact: Flush with large quantities of water for 15 minutes.

Consult a physician.

In case of ingestion: Consult a physician.

5. Fire-Fighting Measures

Flashpoint: N/A

Extinguishing Media: Carbo Pragicaxidis, water spraye fixion & Edrycc. To ISO 11014

Last revised: 12-November-2009 Approved for Use: 12-November-2009 chemical.

Special Fire Fighting Procedures: Avoid a direct jet of water.

<u>Unusual Fire and Explosion Hazards:</u> None.

6. Accidental Release Measures

<u>Environmental Precautions:</u> Avoid seepage into suvers and water supplies. <u>Clean-Up Procedure:</u> Contain spill and pick up material with a suitable absorbent material. Place absorbent into a container for later disposal. Clean spill area with detergent and water.

7. Handling and Storage

<u>Handling:</u> No special measures necessary if handled according to instructions. <u>Storage:</u> Keep container tightly closed when not in use. Store in a cool, dry location. Keep material in original packaging.

8. Exposure Controls/ Personal Protection

Exposure Controls: Use only in well ventilated areas.

<u>Hand and Skin Protection:</u> Avoid unnecessary skin contact. Wear latex gloves when handling.

<u>Hygiene Measures:</u> Remove spilled material from skin and clothing. Do not eat or drink when handling this material.

9. Physical and Chemical Properties

Appearance: White paste. Odor: Specific odor.

Boling Point/ Range: N/A

Evaporation Bate (water = 1): N/A Vapor Density (Air = 1): N/A Solubility in Water: Insoluble

10. Stability and Reactivity

Stability: This material is stable.

Hazardous Reactions: None if handled according to directions

<u>Hazardous Polymerization:</u> May occur. Conditions to Avoid: Heat; UV-light.

Incompatibility: Free radicals, reducing agents, heavy metal ions.

Hazardous Decomposition Products: Carbon dioxide, carbon monoxide, acrylic decomposition products, depending on conditions of heating and

burning.

11. Toxicological Information

Page 2 of 5 Revision 5 EU acc. To ISO 11014 Last revised: 12-November-2009

Approved for Use: 12-November-2009

Acute oral toxicity: LD50 (rat) > 5000 mg/kg

Irritation of Skin: Dryness and Irritation possible upon prolonged

exposure.

<u>Allergic Effects:</u> Methacrylate sensitive individuals may exhibit an allergic reaction.

12. Ecological Information

Do not discharge into suvers or water supplies.

Environmental persistence and degradability: No data available.

Ecotoxicity: No data available.

13. Disposal Considerations

May be disposed of in landfill or incinerator In accordance with local, state and federal regulations.

14. Transport Information

14.1 Transport at land ADR RID

UN Number Kemler
Number

Packing Group

Proper shipping name

14.2 Transport at sea ADNR IMDG

UN Number EMS MFAG

Packing Group Proper shipping name

14.3 Air transport ICAO / IATA-DGR

UN Number Proper shipping name Subsidiary Risk Labels Packing Group

<u>U.S. DOT</u> Shipping Name: Not Regulated U.S. DOT Hazard Class: None U.N/ N.A.

Number: None

U.S. Dot Packing Group: None

Other: Not considered hazardous cargo.

15. Regulatory Information

This product requires classification according to the criteria of EC. The product is a medical device according to the EC-directive 93/42.

15.1 UN Number --

15.2 National

regulations

15.3 EU number

Page 3 of 5 Revision 5 EU acc. To ISO 11014 Last revised: 12-November-2009

Approved for Use: 12-November-2009

15.4 Hazard symbols

15.5 Hazard designation 15.6 Risk phrases Xi: Irritant. Contains 4-Methacryloxyethyltrimellitic acid.

R: 22, 36, 37/38, 43 22 Harmful if swallowed.

36 Irritating to eyes.

37/38 Irritating to respiratory system and skin. 43 May cause sensitization by skin contact.

15.7 Safety phrases

S: 2, 9, 16, 23, 26, 28, 24/25, 37/39

2 Keep out of the reach of children.

9 Keep container in a well-ventilated place.

16 Keep away from sources of ignition - No smoking.

23 Do not breathe vapour.

26 In case of contact with eyes, rinse immediately with

plenty of water and seek medical advise.

28 After contact with skin, wash immediately with

plenty of water and soap.

24/25 Avoid contact with skin and eyes.

37/39 Wear suitable gloves and eye/face protection.

U.S. – O.S.H.A. Status: This material is not hazardous under the criteria of the U.S. Federal Hazard Communication Standard

16. Other Information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

Relevant R-phrases

22 Harmful if swallowed.

36 Irritating to eyes.

37/38 Irritating to respiratory system and skin.

43 May cause sensitisation by skin contact.

Xn Harmful.

Material should be maintained in original containers. Empty containers should not be re-used.

AN SI / NFPA 704 DATA

Fire = 1

Health = 1

Reactivity = 1 Specific

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the manufacturer or distributor be responsible for damages of any nature whatsoever resulting from the use

Approved for Use: 12-November-2009

of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.

MATERIAL SAFETY DATA SHEET CyberSeal, Etch

1. Chemical Product and Company Identification

Product Name: CyberSeal Etch - 9006207

An etching gel consisting of 37% phosphoric acid in aqueous solution

 Manufacturer: DE Healthcare Products
 Gillingham ME8 0SB UK

 UK
 01634878750
 Emergency #:
 Chemtrec US (800) 424-9300

 International:
 001 703-527-3887
 Fax
 +44 (0) 1634 87 87 51

email: info@cybertechbrand.com

2. Composition / Information of Hazardous Ingredients

Hazardous Ingredients	CAS#	Hazard Identification & Risk Phrases
Phosphoric acid	7664-38-2	C, R34
Fumed Silica	7631-86-9	R36/37/38

✓ <u>Additional information:</u> For the wording of the listed risk phrases refer to section 16.

3. Hazards Identification Corrosive

<u>Acute Health Hazards:</u> May cause eye, respiratory and skin irritation. <u>Chronic Health Hazards:</u> Material is not known to cause significant health problems.

Signs and Symptoms of Exposure: High concentrations can cause eye and respiratory irritation. Prolonged skin exposure can cause dryness.

Primary Routes of Exposure: Inhalation, skin contact, eye contact.

Carcinogenicity: NTP – no, OSHA – no, IARC – no.

4. First Aid Measures in Cause of Inhalation

<u>Inhalation:</u> If irritation occurs, take victim to open air. Get medical attention.

<u>In case of skin contact:</u> wash with soap and water.

Page 1 of 4

<u>In case of eye contact:</u> Flush with large quantities of water for 15 minutes. Consult a physician.

<u>In case of ingestion:</u> Drink two glasses of water or milk. Seek medical attention if a substantial amount has been ingested. Do not induce vomiting.

5. Fire-Fighting Measures

Flash Point: Non-flammable

Revision 6 EU acc. To ISO 11014 Last revised:12-November-2009 Approved for use: 12-November-2009 Extinguishing Media: Carbon dioxide, foam or dry chemical. <u>Unusual Fire and Explosion Hazards:</u> Upon combustion, irritating gases may form..

6. Accidental Release Measures

<u>Personal Precautions:</u> Prevent skin/ eye contact <u>Environmental Precautions:</u> Avoid ground water contamination.. <u>Clean-Up Procedure:</u> Wipe with damp paper towel. Discard properly.

7. Handling and Storage

<u>Handling:</u> No special measures necessary if handled according to instructions. <u>Storage:</u> Keep container tightly closed when not in use. Store at room temperature. Keep material in original packaging. Avoid unnecessary exposure to the product. At high temperatures toxic fumes of phosphoric acid and phosphorous oxides can be generated.

8. Exposure Controls/ Personal Protection

Exposure Controls: Use only in well ventilated areas.

Eye Protection: Use protective eyewear.

<u>Hand and Skin Protection:</u> Avoid unnecessary skin contact. Wear latex gloves when handling.

<u>Hygiene Measures:</u> Remove spilled material from skin and clothing. Do not eat or drink when handling this material.

9. Physical and Chemical Properties

Appearance: Blue semi-gel.

Odor: Odorless.

Boling Point/ Range: >100°C/ 212°F Evaporation Bate (water = 1): N/A Vapor Density (Air = 1): N/A Solubility in Water: Miscible

10. Stability and Reactivity

Stability: This material is stable.

Hazardous Reactions: None if handled according to directions

Conditions to Avoid: Heat.

Incompatibility: Strong caustics, metals, sulfides and sulfites.

11. Toxicological Information

Page 2 of 4 Revision 6 EU acc. To ISO 11014 Last revised: 12-November-2009

Approved for use: 12-November-2009

Acute oral toxicity: LD50 (rat) > 5000 mg/kg

<u>Irritation to Eyes:</u> Irritates the eyes. <u>Irritation of Skin:</u> May irritate the skin.

Allergic Effects: May cause allergic reaction on contact with skin.

Other: If swallowed, may cause sore throat and burns of the mouth and throat. Prolonged exposure may cause burns to the respiratory tract, contact with soft tissues may cause burns.

12. Ecological Information

There is no specific information on the product. Use according to good working practices, avoiding release of the product into environment.

13. Disposal Considerations

May be disposed of in landfill or incinerator In accordance with local, state and federal regulations.

14. Transport Information

14.1 Transport at land	ADR	8	RID	8
	UN Number	1805	Kemler Number	
	Packing Group	III	Tulliou	
	Proper shipping name	Phosphoric acid, liquid		
14.2 Transport at sea AI	ADNR	•	IMDG	31-
	1121(11	8	11/12 0	02
	UN Number	1805		
	EMS	F-E, S-B	MFAG	700
	Packing Group	III		
	Proper shipping name	Phosphoric acid,		
		liquid _		
14.3 Air transport	ICAO / IATA-DGR	Klasse 8		
	UN Number	1805		
	Proper shipping name	Phosphoric acid,		
		solution		
	Subsidiary Risk			
	Labels	Corrosive		
	Packing Group	III		

<u>U.S. DOT</u> Shipping Name: Not Regulated <u>U.S. DOT</u> Hazard Class: None U.N/ N.A.

Number: None

U.S. Dot Packing Group: None

Other: Not considered hazardous cargo.

15. Regulatory Information

This product requires classification according to the criteria of EC. The product is a medical device according to the EC-directive 93/42.

15.1 UN Number 1805

Revision 6 *EU acc. To ISO 11014* Last revised:12-November-2009 Approved for use: 12-November-2009 15.2 National regulations

15.3 EU number

15.4 Hazard symbols

231-633-2



15.5 Hazard designation

C: Corrosive. Contains Phosphoric acid, solution in water.

15.6 Risk phrases

R: 34

34 Causes burns.

15.7 Safety phrases

S: 1/2, 26, 37/39, 45

1/2 Keep locked out and out of the reach of children.
26 In case of contact with eyes, rinse immediately with
plenty of water and seek medical advise.
37/39 Wear suitable gloves and eye/face protection.
45 In case of accident or if you feel unwell, seek medical
advise immediately (show the label where possible).

<u>U.S. – O.S.H.A. Status:</u> This material is not hazardous under the criteria of the U.S. Federal Hazard Communication Standard.

16. Other Information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

Relevant R-phrases

34 Causes burns.

36 Irritating to eyes.

37/38 Irritating to respiratory system and skin.

Material should be maintained in original containers. Empty containers should not be re-used.

AN SI / NFPA 704 DATA

Fire = 0Health = 1

Reactivity = 0

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the manufacturer or distributor be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.

Revision 6 *EU acc. To ISO 11014*Last revised: 12-November-2009
Approved for use: 12-November-2009